




Product Dimensions, Standards and Weights

DIN 909 Technical Specifications


Metric DIN 909 Hexagon Head Screw/Pipe Plug



PIPE THREAD (GAS)

D (NOMINAL)	L	B	S	E	WEIGHT IN KG(S) PER 1000 PCS
G 1/8	12.5	8	7	7.74	5.72
G1/4	15	10	9	9.76	12
G3/8	16	10	10	10.89	19.4
G1/2	17	10	13	14.2	27.2
G3/4	20	12	17	18.72	51.8
G1	22	12	19	20.88	76.2
G1-1/4	30	18	24	26.17	151
G1-½	35	20	30	32.95	230

All measurements are in mm



METRIC THREAD

D (NOMINAL)	L	B	S	E	WEIGHT IN KG(S) PER 1000 PCS
M10*1	12.5	8	7	7.74	5.72
M12*1.5	15	10	7	7.74	9.1
M14*1.5	15	10	9	9.76	13.2
M16*1.5	16	10	10	10.89	17.9
M18*1.5	16	10	10	10.89	21.9
M20*1.5	17	10	13	14.2	25
M22*1.5	17	10	13	14.2	29
M24*1.5	20	12	17	18.72	43.8
M30*1.5	22	12	19	20.88	69.4
M36*1.5	27	15	24	26.17	118
M42*1.5	30	18	24	26.17	151
M45*1.5	30	18	24	26.17	163
M48*1.5	35	20	30	32.95	230
M52*1.5	35	20	30	32.95	249

All measurements are in mm

Metric DIN 909 hexagon head screw /pipe plugs with conical / tapered threads are threaded plugs with a hexagon head drive. The conical/tapered thread allows for the plug to seat flush in a preformed tapered hole when fully tightened and the seal forms from the wedging of the plug into the mating hole. In this case a sealing compound or Teflon tape is suggested for improved seals. Typically used in pipes and fittings carrying air, gases or fluids under pressure.



UNIQUE FASTENERS

Precision Fasteners, Built to Last

175/6 Sar Building, Sp Road, Bangalore, 560002



+91-8660813791



uniquefasteners.in



INFO@UNIQUEFASTENERS.IN



Metric DIN 909 hexagon head screw /pipe plugs with conical / tapered threads are available in brass, steel as well as stainless steel A2 and A4. Unique Fasteners offers one of the most complete ranges of metric screw plugs and other inch and metric industrial fasteners for immediate delivery from stock. The following sizes of DIN 909 hexagon head screw /pipe plugs with conical / tapered threads are available for immediate shipping from stock: Diameters ranging from M10 to M48 in brass, steel and stainless steel A2 and A4.

DIN (**D**eutsches **I**nstitut für **N**ormung - German Institute for Standardization) standards are issued for a variety of components including industrial fasteners as metric DIN 909 hexagon head screw /pipe plugs with conical / tapered threads. The DIN standards remain common in Germany, Europe and globally even though the transition to ISO standards is taking place. DIN standards continue to be used for parts which do not have ISO equivalents or for which there is no need for standardization like DIN 909 hexagon head screw /pipe plugs with conical / tapered threads