




Product Dimensions, Standards and Weights

DIN 912 Technical Specifications

Metric DIN 912 Hexagon Socket Head Cap Screw



D	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24
D1	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36
K	3	4	5	6	6	10	1	14	16	18	20	2	24
S	2.5	3	4	5	6	8	10	12	14	14	17	17	19
B	18	20	22	24	28	32	36	40	44	48	52	56	60
L (mm)	Weight in kg(s) per 1000 pcs												
5	0.67												
6	0.71	1.5											
8	0.8	1.65											
10	0.88	1.8	2.7	4.7									
12	0.96	1.95	2.95	5.07									
16	1.16	2.25	3.45	5.75	12.1	20.9							
20	1.36	2.85	4.01	6.53	13.4	22.9	32.1						
25	1.61	3.15	4.78	7.59	15	25.9	35.7						
30	1.86	3.65	5.55	8.7	16.9	27.9	39.3	63	77.9				
35		4.15	6.32	9.91	18.9	31	42.9	58	84.4				
40		4.65	7.09	11	20.9	34.1	47.3	63	94	129	150		
45			7.88	12.1	22.9	37.2	51.7	69	97.6	137	161		

All measurements are in mm




UNIQUE FASTENERS

Precision Fasteners, Built to Last
175/6 Sar Building, Sp Road, Bangalore, 560002



+91-8660813791

uniquefasteners.inINFO@UNIQUEFASTENERS.IN

D	M3	M4	M5	M6	M8	M10	M12	M14	M16	M18	M20	M22	M24
D1	5.5	7	8.5	10	13	16	18	21	24	27	30	33	36
K	3	4	5	6	6	10	1	14	16	18	20	2	24
S	2.5	3	4	5	6	8	10	12	14	14	17	17	19
B	18	20	22	24	28	32	36	40	44	48	52	56	60
L (mm)	Weight in kg(s) per 1000 pcs												
50			8.63	13.2	24.9	0.3	56.1	75	108	147	172	250	300
55				14.3	25.9	43.4	60.5	81	114	157	183	263	316
60				15.4	28.9	46.5	64.9	87	122	167	195	276	330
65					31	46.9	69.3	93	130	177	207	291	345
70					33	52.7	73.7	9	138	187	220	306	363
75					35	55.8	78.1	105	146	197	232	321	381
80					37	58.9	82.5	111	154	207	244	338	399
90						65.1	91.3	123	170	227	269	366	436
100						71.3	100	135	186	247	294	396	471
110							109	1473	202	267	319	426	507
120							118	159	218	287	344	458	543
130									234	307	369	486	579
140									250	327	394	516	615
150									266	347	419	546	561
160											444	576	667
160											494	636	759
200												696	820

All measurements are in mm



UNIQUE FASTENERS

Precision Fasteners, Built to Last
175/6 Sar Building, Sp Road, Bangalore, 560002



+91-8660813791



uniquefasteners.in



INFO@UNIQUEFASTENERS.IN



Metric DIN 912 hexagon socket head cap screws are cylindrical head screws with an internal hexagonal drive suited for a hex / Allen key or wrench. The internal drive is ideal for situations where externally wrenched screws are impractical such as in applications where limited space is available. Unique Fasteners offers an extensive range of metric DIN 912 hexagon socket head cap screws as well other inch and metric industrial fasteners for immediate delivery from stock. The following sizes of metric DIN 912 hexagon socket head cap screws are available for immediate shipping from stock: Diameters ranging from M1.6 to M48, in coarse and fine thread in lengths up to 320mm, in steel and stainless steel A2 and A4.

DIN (**D**eutsches **I**nstitut für **N**ormung - German Institute for Standardization) standards are issued for a variety of components including industrial fasteners as metric DIN 912 hexagon socket head cap screws. The DIN standards remain common in Germany, Europe and globally even though the transition to ISO standards is taking place. DIN standards continue to be used for parts which do not have ISO equivalents. The ISO equivalent for DIN 912 hexagon socket head cap screws is ISO 4762.